

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1455	713/150-154.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/01/23 08:24
S4	65	spoof\$3 (arp adj table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/01/18 14:25
S5	537	(arp adj table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/01/18 14:28
S6	140	updat\$3 same(arp adj table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/01/18 14:28
S7	140	updat\$3 same (arp adj table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/01/18 14:31
S8	10	arping (arp adj table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/01/18 14:34
S9	200	arping	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/01/18 14:35
S10	129	S1 spoof\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/01/18 14:38

S11	25	S10 mac same ip	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/01/18 14:38
S12	9893	ip same mac	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/01/19 09:06
S13	1855	S12 arp	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/01/19 09:06
S16	156	S13 spoof\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/01/19 10:24
S17	6	((("20040098468") or ("6636894") or ("6636502") or ("6603758") or ("6577628") or ("6553568")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/19 10:25
S20	5	S17 ip mac	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/01/19 10:45
S29	1097	arp adj request	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/01/19 14:21
S30	784	S29 ip mac	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/01/19 14:21
S31	677	S29 ip same mac	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/01/19 14:21

S32	81	S31 spoof\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/01/19 14:24
S36	2374	709/238.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/01/19 15:08
S37	52	S36 arp adj table	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/01/19 15:09
S38	44	S37 ip same mac	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/01/19 16:46
S40	97	spoof\$3 same ip same mac	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/01/19 16:46
S41	2645	denial near1 service	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/01/20 09:27
S42	176	S41 arp	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/01/20 09:34
S43	80	S42 ip same mac	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/01/20 09:28

S44	32	S41 arp adj table	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/01/20 09:34
S51	30	mac with (gateway adj router)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/01/23 10:22
S53	199	mac same spoof\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/01/23 09:59
S59	163	(arp adj table) same router	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/01/23 10:26
S60	73	(arp adj table) same router same mac	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/01/23 10:27
S62	251	spoof\$3 same router	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/01/23 10:35
S63	34	spoof\$3 same router same mac	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/01/23 10:40
S68	73	(arp adj table) same mac same router	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/01/23 12:06

S69	135	router with spoof\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/01/23 12:06
S70	24	(router with spoof\$3) same mac	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/01/23 12:10
S71	1515	router with mac	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/01/23 12:10
S72	356	(router with mac) same arp	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/01/23 12:10
S74	5	(router with mac) same arp same spoof\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/01/23 12:15
S75	59	(router with mac) same (arp adj table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/01/23 12:18
S76	6	((router with mac) same (arp adj table)) spoof\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/01/23 12:19
S77	57	(gateway adj router) mac spoof\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/01/23 13:00
S78	1	("20020191572").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/23 13:00

S79	0	S78 router arp	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/01/23 13:00
S80	1	S78 router spoof\$3 table	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/01/23 13:02
S81	251	spoof\$3 same router	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/01/23 13:02
S82	40	spoof\$3 same router same table	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/01/23 13:04
S91	2722	mac same router	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/01/23 14:10
S92	34	S91 same spoof\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/01/23 14:10
S93	1508	mac same router same ip	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/01/23 14:10
S94	500	mac same router same ip same table	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/01/23 14:11

S95	435	mac same router same ip same arp	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/01/23 14:11
S96	32	S95 spoof\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/01/23 14:30
S10 0	136	(rout\$4 adj table) same (arp adj table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/01/23 14:45
S10 1	50	(rout\$4 adj table) same (arp adj table) same gateway	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/01/23 14:48
S10 2	5	S101 spoof\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/01/23 14:49
S10 3	9	S100 spoof\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/01/23 15:00
S10 4	12824	rout\$4 adj table	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/01/23 15:00
S10 5	270	S104 arp adj table	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/01/23 15:02

S10 6	18	S105 gateway adj router	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/01/23 15:02
S10 7	294	S104 spoof\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/01/23 15:02
S10 8	25	S107 arp adj table	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/01/23 15:05
S10 9	325	(source adj mac) with rout\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/01/23 15:08
S11 0	6	S109 spoof\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/01/23 15:06
S11 1	50	(source adj mac) with (rout\$4 adj table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/01/23 15:32
S11 2	539	arp adj table	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/01/23 15:32
S11 3	248	S112 routing adj table	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/01/23 15:34

S11 4	35	S113 source adj mac	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/01/23 15:34
S12 0	48	spoofed adj address	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/01/26 14:22
S12 1	1358	source adj mac	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/01/26 14:22
S12 2	11	(source adj mac) with (arp adj table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/01/26 14:38
S12 3	16	spoof\$3 same (arp adj table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/01/26 14:59
S12 4	282	rout\$4 same (arp adj table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/01/26 15:03
S12 5	9	(gateway adj rout\$4) same (arp adj table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/01/26 15:01
S17 4	1526	mac with router	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/01/30 10:27

S17 5	356	(mac with router) same arp	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/01/30 10:28
S17 6	23	S175 spoof\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/01/30 10:34
S17 7	73	(arp adj table) same mac same router	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/01/30 10:43
S17 9	184	spoofed same source same address	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/01/30 10:57
S18 0	51	spoofed adj source adj address	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/01/30 13:23
S18 9	1	("6442144").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/30 16:23
S19 9	266	forward\$3 same arp same router	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/01/30 16:14
S20 0	104	forward\$3 same arp same router same mac same ip	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/01/30 16:15
S20 5	15253	(discard\$3 or drop\$3) with packet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/01/31 07:33

S20 6	65	((discard\$3 or drop\$3) with packet) same mac same ip same arp	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/01/31 07:43
S20 7	204	duplicate adj ip	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/01/31 07:43
S20 9	21	(duplicate adj ip) same (discard\$3 or drop\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/01/31 08:30
S21 0	16	(duplicate adj ip adj address) same (discard\$3 or drop\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/01/31 08:35
S21 1	17	(multiple near3 (ip adj address)) same (discard\$3 or drop\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/01/31 08:33
S21 2	8	(multiple near3 (mac adj address)) same (discard\$3 or drop\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/01/31 09:46
S21 3	11	(duplicate adj mac adj address) same (discard\$3 or drop\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/01/31 08:36
S21 5	123	identical adj ip adj address	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/01/31 08:46

S21 6	9	(identical adj ip adj address) with mac	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/01/31 08:43
S21 7	14	(identical adj ip adj address) same mac	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/01/31 08:43
S21 9	167	((multiple or plurality) adj mac adj address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/01/31 08:48
S22 0	7	((multiple or plurality) adj mac adj address) same (drop\$4 or discard\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/01/31 08:51
S22 2	807	(single adj ip adj address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/01/31 08:52
S22 3	23	(single adj ip adj address) same (discard\$3 or drop\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/01/31 08:54
S23 6	1	("6289377").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/31 09:46
S24 0	193	network adj degradation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/01/31 10:32
S24 1	6	S240 spoof\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/01/31 11:53